

NA HANIEL¹, HEEL IGH^{1,3}, EVAN G. GAFF¹, AND DANNO I²

¹Department of Biology, Bowdoin College, Brunswick, ME 04011

²Department of Integrative Biology, University of Guelph, Guelph, Ontario N1G 2W1, Canada

Abstract.

(*Passerculus sandwichensis*)

(0.78, 0.72,

Passerculus sandwichensis

(0.78, 0.72,

(0.46)

¹Corresponding author: e-mail: n.haniel@bowdoin.edu

³Present address: Department of Biology, University of Guelph, Guelph, Ontario N1G 2W1, Canada (e-mail: heeli@uoguelph.ca)

P  18.0.

γ 

f (4.31) 0.69
 4.21 0.55, ; $n = 1424$). f
 (2002) f (*Troglo-*
dytes aedon).

f ()
 f 1.7
 4.0
 f
 f (2004),

f 6(-)15(1)-5(18(-)6(()-8()1()-6()-7()-9()113(-6(()-8()1(2-1(-6()11)-7(1)-15(8-1()-8()1()-9()
 0- (3(9-13()13(-)1()-8)-21()) (2-1)-87(4()-2()-9(10()8()- 08410(95(13(1)-11)23())-22(-1()52()7((133 , 1(27(

AYL, J. M., B. G. OKKE, A. MOK NE, E. KAF, AND A. O. , % 4=7 . 1()6()157()-18.82166() .-0. . 207 :1 . 1 6 1()-13 ()330 . 207 .
 M LLE .2007.
Acrocephalus scirpaceus
Cuculus canorus.
 .002 . 469(469051286 69 3.404 0-17(60.062 1)20()-25()-17()1()-25()-3()-13(1-16171()-1()1()-8)-1417(()-7()- 33()-24()
 BEAMON E-BA IEN O . MC 9 0 0 9 151.1956 653.944 [,39 0 C 0.888 0 A EMC ,1 -19 3 0 0 9 151 [-9 951E9 0 C 70C0E1.859 0 11.6932 653.